

Safety Data Sheet

According to 91/155 EEC

Printing date 24.06.2009

Revision: 24.06.2009

1 Identification of the substance/preparation and of the company/undertaking

· **Product details**

· **Trade name:** *Solvent naphtha (petroleum), light arom.*

Manufacturer/Supplier:

Asiatic Chemicals Pakistan



Address

30-Mussa Market 2nd Floor,

Opp Sindh Madarsah

Shakrah-e-Liaquat

Mobile

0092-320-4320301

Email

asiatic-petro@cyber.net.pk

asiatic@asiatic.com.pk

Tel No

0092-21-32422537

Fax No

0092-21-3241554

2 Composition/information on ingredients

· **Chemical characterization:**

· **CAS No. Description**

64742-95-6 Solvent naphtha (petroleum), light arom.

· **Identification number(s)**

· **EINECS Number:** 265-199-0

· **Index number:** 649-356-00-4

3 Hazards identification

· **Hazard description:**



Carc. Cat. 2, Muta. Cat. 2

T Toxic

· **Information concerning particular hazards for human and environment:**

R 45 May cause cancer.

R 46 May cause heritable genetic damage.

R 65 Harmful: may cause lung damage if swallowed.

4 First aid measures

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Protective equipment:** No special measures required.

6 Accidental release measures

· **Person-related safety precautions:** Not required.

· **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 2)

Safety Data Sheet

According to 91/155 EEC

Printing date 24.06.2009

Revision: 24.06.2009

Trade name: Solvent naphtha (petroleum), light arom.

(Contd. of page 1)

- **Measures for cleaning/collecting:**
- Dilute with plenty of water.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.

7 Handling and storage

- **Handling:**
- **Information for safe handling:** Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.

8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- **Respiratory protection:**
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

UAE

Safety Data Sheet

According to 91/155 EEC

Printing date 24.06.2009

Revision: 24.06.2009

Trade name: Solvent naphtha (petroleum), light arom.

(Contd. of page 2)

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

| | |
|----------------|---------------|
| Form: | Fluid |
| Colour: | Clear |
| Odour: | Specific type |

· **Change in condition**

Melting point/Melting range: -50°C
Boiling point/Boiling range: 162/182°C

· **Flash point:** 45°C

· **Ignition temperature:** 450°C

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

| | |
|---------------|-----------|
| Lower: | 0.7 Vol % |
| Upper: | 7.5 Vol % |

· **Vapour pressure at 20°C:** 5 hPa

· **Density at 20°C:** 0.87 g/cm³

· **Solubility in / Miscibility with water at 20°C:** 0.05 g/l

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Acute toxicity:**

· **LD/LC50 values relevant for classification:**

| | | |
|------------|----------|-------------------|
| Oral | LD50 | >6800 mg/kg (rat) |
| Dermal | LD50 | >3400 mg/kg (rab) |
| Inhalative | LC50/4 h | >10.2 mg/l (rat) |

· **Primary irritant effect:**

- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.

(Contd. on page 4)

UAE

Safety Data Sheet

According to 91/155 EEC

Printing date 24.06.2009

Revision: 24.06.2009

Trade name: Solvent naphtha (petroleum), light arom.

(Contd. of page 3)

· **Sensitization:** No sensitizing effects known.

12 Ecological information

· **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

· **Product:**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **Land transport ADR/RID (cross-border)**



· **ADR/RID class:** 3 Flammable liquids.

· **Danger code (Kemler):** 30

· **UN-Number:** 1268

· **Packaging group:** III

· **Hazard label:** 3

· **Description of goods:** 1268 PETROLEUM DISTILLATES, N.O.S.

· **Maritime transport IMDG:**



· **IMDG Class:** 3

· **UN Number:** 1268

· **Label:** 3

· **Packaging group:** III

· **EMS Number:** F-E,S-E

· **Marine pollutant:** No

· **Proper shipping name:** PETROLEUM DISTILLATES, N.O.S.

(Contd. on page 5)

UAE

Safety Data Sheet

According to 91/155 EEC

Printing date 24.06.2009

Revision: 24.06.2009

Trade name: Solvent naphtha (petroleum), light arom.

(Contd. of page 4)

· **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1268
- **Label** 3
- **Packaging group:** III
- **Proper shipping name:** PETROLEUM DISTILLATES, N.O.S.

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**



Carc. Cat. 2, Muta. Cat. 2
T Toxic

· **Risk phrases:**

- 45 May cause cancer.
- 46 May cause heritable genetic damage.
- 65 Harmful: may cause lung damage if swallowed.

· **Safety phrases:**

- 53 Avoid exposure - obtain special instructions before use.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Product safety department
- **Contact:** Mr. Menon